


Equipotential rail 1-rowed

■ PA 20 Equipotential rail 1-rowed



Characteristics

Including pin insulators-sets (halogen and silicone-free)

Article-Nr.	E-Number									
266.006.006	150 578 701	CuvSn	6	M6x20	30x6	190				1
266.006.008	150 578 702	CuvSn	8	M6x20	30x6	230				1
266.006.010	150 578 704	CuvSn	10	M6x20	30x6	270				1
266.006.012	150 578 706	CuvSn	12	M6x20	30x6	310				1
266.008.006	150 578 703	CuvSn	6	M8x25	30x6	250				1
266.008.008	150 578 707	CuvSn	8	M8x25	30x6	310				1
266.008.010	150 578 709	CuvSn	10	M8x25	30x6	370				1
266.008.012	150 578 711	CuvSn	12	M8x25	30x6	430				1
266.010.006	150 578 705	CuvSn	6	M10x30	40x5	270				1
266.010.008	150 578 708	CuvSn	8	M10x30	40x5	330				1
266.010.010	150 578 710	CuvSn	10	M10x30	40x5	390				1
266.010.012	150 578 712	CuvSn	12	M10x30	40x5	450				1
266.106.006	150 578 801	InoxA2	6	M6x20	30x6	190				1
266.106.008	150 578 802	InoxA2	8	M6x20	30x6	230				1
266.106.010	150 578 804	InoxA2	10	M6x20	30x6	270				1
266.106.012	150 578 806	InoxA2	12	M6x20	30x6	310				1
266.108.006	150 578 803	InoxA2	6	M8x25	30x6	250				1
266.108.008	150 578 807	InoxA2	8	M8x25	30x6	310				1
266.108.010	150 578 809	InoxA2	10	M8x25	30x6	370				1
266.108.012	150 578 811	InoxA2	12	M8x25	30x6	430				1
266.110.006	150 578 805	InoxA2	6	M10x30	40x5	270				1
266.110.008	150 578 808	InoxA2	8	M10x30	40x5	330				1
266.110.010	150 578 810	InoxA2	10	M10x30	40x5	390				1
266.110.012	150 578 812	InoxA2	12	M10x30	40x5	450				1

Technical Specifications: Equipotential rail 1-rowed PA 20

	266.006.006	266.006.008	266.006.010	266.006.012
Material	CuvSn			
Screw	M6x20			
Band size	30x6 mm			
Length a	190 mm	230 mm	270 mm	310 mm
Number of connections	6	8	10	12
Commercial specification				
Customs number	85389000			
country of origin	CH			
Logistic specification				
VPE Weight	0.49 kg	0.58 kg	0.65 kg	0.71 kg

	266.008.006	266.008.008	266.008.010	266.008.012
Material	CuvSn			
Screw	M8x25			
Band size	30x6 mm			
Length a	250 mm	310 mm	370 mm	430 mm
Number of connections	6	8	10	12
Commercial specification				
Customs number	85389000			
country of origin	CH			
Logistic specification				
VPE Weight	0.71 kg	0.83 kg	0.88 kg	1.09 kg

	266.010.006	266.010.008	266.010.010	266.010.012
Material	CuvSn			
Screw	M10x30			
Band size	40x5 mm			
Length a	270 mm	330 mm	390 mm	450 mm
Number of connections	6	8	10	12
Commercial specification				
Customs number	85389000			
country of origin	CH			
Logistic specification				
VPE Weight	1.01 kg	1.19 kg	1.34 kg	1.54 kg

	266.106.006	266.106.008	266.106.010	266.106.012
Material	InoxA2			
Screw	M6x20			
Band size	30x6 mm			
Length a	190 mm	230 mm	270 mm	310 mm
Number of connections	6	8	10	12
Commercial specification				
Customs number	85389000			
country of origin	CH			
Logistic specification				
VPE Weight	0.46 kg	0.54 kg	0.59 kg	0.67 kg

	266.108.006	266.108.008	266.108.010	266.108.012
Material	InoxA2			
Screw	M8x25			
Band size	30x6 mm			
Length a	250 mm	310 mm	370 mm	430 mm
Number of connections	6	8	10	12
Commercial specification				
Customs number	85389000			
country of origin	CH			
Logistic specification				
VPE Weight	0.66 kg	0.79 kg	0.91 kg	1.02 kg



	266.110.006	266.110.008	266.110.010	266.110.012
Material	InoxA2			
Screw	M10x30			
Band size	40x5 mm			
Length a	270 mm	330 mm	390 mm	450 mm
Number of connections	6	8	10	12
Commercial specification				
Customs number	85389000			
country of origin	CH			
Logistic specification				
VPE Weight	0.97 kg	1.13 kg	1.3 kg	1.46 kg

